

**IN THE CLAIMS:**

1. (Currently Amended) A load-balancing unit configured to ~~independently~~ apply each fuzzy logic rule of a plurality of fuzzy logic rules to each value of sets of fuzzified, dynamic values indicating network traffic flow and to generate a selection index for each of the sets based on results thereof, wherein the apply is performed independent of the values.

2. (Original) The unit as in claim 1 wherein the unit comprises a load balancing switch.

3. (Original) The unit as in claim 1 wherein the unit comprises a load balancing router.

4. (Original) The unit as in claim 1 wherein the unit comprises a programmed media.

5. (Original) The unit as in claim 1 further adapted to direct a request to a server associated with one of the generated selection indices.

6. (Original) The unit as in claim 5 further adapted to direct a request to a server associated with a highest selection index.

7. (Previously Presented) The unit as in claim 1 wherein each of the indicator values represents a dynamic operating status of a server.

8. (Previously Presented) The unit as in claim 7 wherein the server is one of multiple servers grouped together to form a server farm and each of the sets of indicator values is uniquely associated with one of the multiple servers.

9. (Previously Presented) The unit as in claim 8 wherein the server farm is for providing service for incoming requests of an Internet Service Provider and one of the multiple servers is selected to provide service for one of the incoming requests based on the selection index associated therewith.

10. (Original) The unit as in claim 1 wherein the indicator values comprise values associated with a response time, a number of active connections and a delivered throughput.

11. (Original) The unit as in claim 1 further adapted to generate an area associated with each fuzzy logic rule.

12. (Original) The unit as in claim 11 further adapted to generate an aggregate area from a combination of areas associated with the fuzzy logic rules.

13. (Original) The unit as in claim 12 further adapted to generate the selection index from the aggregate area.

14. (Original) The unit as in claim 12 further adapted to generate the selection index from a center of gravity of the aggregate area.

15. (Currently Amended) A method for selecting Internet servers comprising:  
independently applying each fuzzy logic rule of a plurality of fuzzy logic rules to each value of sets of fuzzified, dynamic values indicating network traffic flow, wherein the applying is independent of the values; and

generating a selection index for each of the sets based on results of the applying.

16. (Original) The method as in claim 15 further comprising directing a request to a server associated with one of the generated selection indices.

17. (Original) The method as in claim 16 further comprising directing a request to a server associated with a highest selection index.

18. (Previously Presented) The method as in claim 15 wherein each set of the indicator values represents a dynamic operating status of a server.

19. (Previously Presented) The method as in claim 15 wherein each of the fuzzy logic rules contribute to a calculation of the selection index for each set.

20. (Previously Presented) The unit as in claim 15 wherein the method further comprises selecting a server from a server farm based on the selection indexes to provide a requested service.

21. (Original) The method as in claim 15 wherein the indicator values comprise values associated with a response time, a number of active connections and a delivered throughput.

22. (Original) The method as in claim 15 further comprising generating an area associated with each fuzzy logic rule.

23. (original) The method as in claim 22 further comprising generating an aggregate area from a combination of areas associated with the fuzzy logic rules.

24. (original) The method as in claim 23 further comprising generating a selection index from the aggregate area.

25. (Previously Presented) The method as in claim 23 further comprising generating each selection index from a center of gravity of the aggregate area.